



CSIR-NATIONAL METALLURGICAL LABORATORY

[COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH, CSIR]

BURMA MINES, JAMSHEDPUR, JHARKHAND - 831007

Ph.: 0657-2345132, website: <http://www.nml.res.in> E-mail: spo.nml@csir.res.in

To, Gurusons Communications Pvt. Ltd. 109, Southex Plaza-I, NDSE-II, New Delhi- 110049 Phone - 011-42643800/01142643889 Email - anil.chaudhary@gurusons.com	P.O. No.	NML/PUR-10-GEM(1094)/24-25/Re
	Date	12.12.2025
	Subject	ACCEPTANCE OF SUPPLIED ITEM – RACK 15U
	Ref.:-	1. Purchase Order dt. 16.09.2025 2. Your email dt. 08.12.2025.

Dear Sir,

This is with reference to your email dated **08.12.2025**, wherein you informed that the originally ordered UPS cannot be fitted in **Rack 9U** hence you have accordingly supplied **Rack 15U**


The matter was examined by the concerned Evaluation Committee of our Institute. After detailed evaluation, the Committee observed that the supplied **RACK 15U** is a higher version of the originally ordered model with no price implications and recommended acceptance of the item.

Accordingly, the Competent Authority of this Institute has approved the acceptance of RACK 15U as a suitable alternate to the tendered RACK 9U

The RACK of UPS may be amended as follows instead of existing in the relevant portions of the original Purchase Order.

Existing RACK	Amended RACK
9U	15U

The above amendments shall be considered and read in the relevant portions of our Purchase Order. All other terms and conditions of the Purchase Order shall remain unchanged.



Stores & Purchase Officer

For & on behalf of the Council of Scientific & Industrial Research